




SCC Winter traction product applications by tire size

Note: The "P" prefix has been removed. These product applications show the best choice for most tires. Due to variations between tire manufacturers, the best choice for your tire may be different. To be sure, traction products should be fitted to the tire before actual use is required. Refer to your vehicle owner's manual for any traction product limitations.

 			 			 		
TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck	TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck	TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck
5.70-12	SZ 119		8.25-20	-	SZ 492	31x13.50-15LT	SZ 447	-
6.00-13	SZ 119	-	8.3-16	SZ 441	-	31x13.50-16.5LT	SZ 447	-
6-14	SZ 123	-	8.5-14LT	SZ 135	-	31x15.50-15	SZ 451	-
6.00-14LT	SZ 131	-	8.5-17.5	SZ 435	-	31x15.50-15LT	SZ 451	-
6.00-16	SZ 123	-	8.50-17.5	SZ 441	-	32x9.50-15LT	SZ 441	-
6.45-13	SZ 119	-	8.75-16.5LT	SZ 429	-	32x10.50-17	SZ 447	-
6.50-13	SZ 119	-	9-15LT	SZ 429	-	32x11.50-15LT	SZ 447	SZ 468
6.50-13LT	SZ 131	-	9.00-15TR	-	SZ 468	32x12.1x15	SZ 441	-
6.50-16LT	SZ 429	-	9.00-16LT	-	SZ 468	32x12.50-15LT	SZ 447	SZ 468
6.70-13	SZ 123	-	9-17.5	SZ 447	-	32x12.50-16.5LT	SZ 447	SZ 462
6.70-15LT	SZ 143	-	9-22.5	-	SZ 492	33x9.50-15LT	SZ 447	SZ 462
6.75-16.5LT	SZ 131	-	9.50-16	-	SZ 468	33x10.50-15LT	SZ 447	-
7-12	SZ 129	-	9.50-16.5LT	SZ 435	-	33x10.50-16.5LT	SZ 447	-
7.00-12	SZ 131	-	9.5-17.5	-	SZ 468	33x12.50-15LT	-	SZ 474
7.00-13	SZ 123	-	10-15LT	SZ 435	-	33x12.50-16	-	SZ 474
7.00-13LT	SZ 123	-	10.00-15TR	-	SZ 486	33x12.50-16.5LT	-	SZ 474
7-14	SZ 139	-	10-16.5	SZ 435	-	33x12.50-17	-	SZ 474
7-14.5LT	SZ 131	-	10-16.5 NHS	SZ 447	-	35x12.50-15LT	-	SZ 486
7.00-14LT	SZ 131	-	10-16.5LT	SZ 435	-	35x12.50-16	-	SZ 486
7.00-15	SZ 131	-	10-17.5	-	SZ 497	35x12.50-16.5LT	-	SZ 486
7.00-15LT	SZ 143	-	10.5-17.5	-	SZ 486	35x12.50-17	-	SZ 486
7-16	SZ 429	-	11-15LT	SZ 441	-	35x12.50-18	-	SZ 486
7.00-16C	SZ 435	-	11-17.5	-	SZ 486	35x12.50-20	-	SZ 486
7.00-16LT	SZ 429	-	12-15LT	SZ 451	SZ 468	35x13.50-15LT	-	SZ 492
7.00-17	SZ 441	-	12-16.5LT	SZ 451	-	36x12.50-15LT	-	SZ 492
7-17.5	SZ 143	-	12-16.5 NHS	-	SZ 492	36x12.50-16.5LT	-	SZ 492
7.00-18	SZ 451	-	12.5/70-16	SZ 451	SZ 462	36x13.50-15	-	SZ 486
7-22.5	SZ 447	-	23x8.50-8	SZ 127	-	36x14-15LT	-	SZ 480
7.10-15LT	SZ 143	-	23x8.50-12 NHS	SZ 127	-	36x14.50-15LT	-	SZ 480
7.50-14LT	SZ 135	-	27x8.50-14LT	SZ 135	-	36x14.50-16.5LT	-	SZ 480
7.50-15	SZ 451	-	27x8.50-15LT	SZ 135	-	36x15.50-15LT	-	SZ 480
7.50-15LT	SZ 451	-	27x9.50-15LT	SZ 139	-	37x12.50-16.5LT	-	SZ 492
7.50-16C	SZ 441	-	29x9.50-15LT	SZ 429	-	37x12.50-17	-	SZ 492
7.50-16LT	SZ 441	-	29x10.50-15LT	SZ 435	-	38x10.50-15	-	SZ 492
7.50-17	SZ 447	-	29x12.00-15 PDI	SZ 441	-	145-15	SZ 123	-
7.9-14LT	SZ 129	-	29x12.50-15LT	SZ 435	-	155-14	SZ 119	-
8-16	SZ 441	-	29x12.50-15 NHS	SZ 447	-	155-15	SZ 119	-
8.00-16.5LT	SZ 143	-	30x9.50-15LT	SZ 429	-	155/80-15	SZ 119	-
8-17.5	SZ 435	-	30x10.50-15LT	SZ 435	-	165-13	SZ 119	-
8-18	-	-	30x9.50-16.5LT	SZ 435	-	165-13C	SZ 119	-
8-19.5	SZ 447	SZ 468	30x12-16	SZ 441	-	165-14	SZ 119	-
8.25-15	-	-	31x10.50-15LT	SZ 441	-	165-14C	SZ 123	-
8.25-15TR	-	SZ 486	31x10.50-16.5LT	SZ 441	-	165-15	SZ 123	-
8.25-16LT	SZ 451	SZ 462	31x11.50-15LT	SZ 447	-	165/65-15	SZ 119	-
8.25-17	SZ 429	SZ 462	31x11.50-16.5LT	SZ 447	-	165/70-15	SZ 119	-







SCC Winter traction product applications by tire size

Note: The "P" prefix has been removed. These product applications show the best choice for most tires. Due to variations between tire manufacturers, the best choice for your tire may be different. To be sure, traction products should be fitted to the tire before actual use is required. Refer to your vehicle owner's manual for any traction product limitations.

<i>SuperZ⁶</i>		<i>SuperZ⁸</i>		<i>SuperZ⁶</i>		<i>SuperZ⁸</i>		<i>SuperZ⁶</i>		<i>SuperZ⁸</i>	
Passenger, Pick-up & SUV		Light & Medium truck		Passenger, Pick-up & SUV		Light & Medium truck		Passenger, Pick-up & SUV		Light & Medium truck	
TIRE SIZE		TIRE SIZE		TIRE SIZE		TIRE SIZE		TIRE SIZE		TIRE SIZE	
165/70-365	SZ 119	185/70-15.5	SZ 131	-	195/80-16	SZ 139	-				
165/75-14	SZ 119	-	185/70-16C	SZ 131	-	200/60-365	SZ 123	-			
165/80-13	SZ 119	-	185/70-365	SZ 123	-	200/60-390	SZ 127	-			
165/80-14	SZ 119	-	185/75-13	SZ 123	-	205-14	SZ 135	-			
165/80-15	SZ 123	-	185/75-14	SZ 123	-	205-14C	SZ 135	-			
165/85-16	SZ 143	-	185/75-14C	SZ 123	-	205-15	SZ 135	-			
175-13	SZ 123	-	185/75-15	SZ 131	-	205-16	SZ 143	-			
175-14	SZ 123	-	185/75-16	SZ 135	-	205-16C	SZ 143	-			
175-14C	SZ 127	-	185/75-16C	SZ 135	-	205/40-17	SZ 123	-			
175-15	SZ 131	-	185/80-13	SZ 123	-	205/45-15	SZ 119	-			
175-16	SZ 131	-	185/80-14	SZ 131	-	205/45-16	SZ 123	-			
175-16C	SZ 131	-	190/65-390	SZ 123	-	205/45-17	SZ 127	-			
175/55-17	SZ 123	-	195-13	SZ 129	-	205/50-14	SZ 119	-			
175/60-15	SZ 119	-	195-14	SZ 129	-	205/50-15	SZ 123	-			
175/65-15	SZ 123	-	195-14C	SZ 135	-	205/50-16	SZ 127	-			
175/70-14	SZ 119	-	195-15	SZ 135	-	205/50-17	SZ 127	-			
175/70-15	SZ 123	-	195-16	SZ 143	-	205/55-14	SZ 123	-			
175/75-13	SZ 119	-	195-16C	SZ 143	-	205/55-15	SZ 127	-			
175/75-14C	SZ 119	-	195/45-16	SZ 119	-	205/55-16	SZ 131	-			
175/75-16	SZ 131	-	195/50-15	SZ 119	-	205/55-17	SZ 129	-			
175/75-16C	SZ 131	-	195/50-16	SZ 123	-	205/60-13	SZ 119	-			
175/80-13	SZ 119	-	195/55-14	SZ 119	-	205/60-14	SZ 123	-			
175/80-14	SZ 123	-	195/55-15	SZ 123	-	205/60-15	SZ 127	-			
175/80-15	SZ 129	-	195/55-16	SZ 123	-	205/60-16	SZ 129	-			
175/80-16	SZ 131	-	195/60-14	SZ 119	-	205/60-17.5	SZ 129	-			
180/65-390	SZ 119	-	195/60-15	SZ 127	-	205/60-390	SZ 129	-			
185-13	SZ 123	-	195/60-16	SZ 129	-	205/65-14	SZ 127	-			
185-14	SZ 131	-	195/65-13	SZ 119	-	205/65-15	SZ 129	-			
185-14C	SZ 131	-	195/65-14	SZ 123	-	205/65-15C	SZ 135	-			
185-15	SZ 131	-	195/65-15	SZ 129	-	205/65-16	SZ 135	-			
185-15C	SZ 131	-	195/65-16	SZ 129	-	205/65-17.5	SZ 143	-			
185-16	SZ 143	-	195/65-16C	SZ 129	-	205/70-13	SZ 127	-			
185/50-16	SZ 119	-	195/70-13	SZ 123	-	205/70-14	SZ 129	-			
185/55-15	SZ 119	-	195/70-14	SZ 127	-	205/70-15	SZ 135	-			
185/60-14	SZ 119	-	195/70-15	SZ 129	-	205/70-15C	SZ 135	-			
185/60-15	SZ 123	-	195/70-15C	SZ 131	-	205/70-16	SZ 135	-			
185/60-16	SZ 127	-	195/75-14	SZ 129	-	205/75-14	SZ 131	-			
185/60-18	SZ 131	-	195/75-14C	SZ 129	-	205/75-15	SZ 135	-			
185/65-14	SZ 119	-	LT195/75-14	SZ 129	-	205/75-16	SZ 143	-			
185/65-15	SZ 123	-	195/75-15	SZ 131	-	205/75-16C	SZ 143	-			
185/65-365	SZ 123	-	LT195/75-15	SZ 135	-	205/75-17.5	SZ 429	-			
185/65-390	SZ 123	-	195/75-16	SZ 135	-	205/80-15.5	SZ 139	-			
185/70-13	SZ 119	-	195/75-16C	SZ 139	-	205/80-16	SZ 143	-			
185/70-14	SZ 123	-	195/80-14	SZ 131	-	205/85-16	SZ 429	-			
185/70-15	SZ 123	-	195/80-15	SZ 135	-	215-14	SZ 143	-			







SCC Winter traction product applications by tire size

Note: The "P" prefix has been removed. These product applications show the best choice for most tires. Due to variations between tire manufacturers, the best choice for your tire may be different. To be sure, traction products should be fitted to the tire before actual use is required. Refer to your vehicle owner's manual for any traction product limitations.

 			 			 		
TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck	TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck	TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck
215-14C	SZ 139	-	220/45-15	SZ 123	-	225/75-14	SZ 139	-
215-15	SZ 139	-	220/55-390	SZ 131	-	225/75-15	SZ 139	-
215/35-18	SZ 127	-	220/60-16	SZ 139	-	225/75-16	SZ 429	-
215/40-16	SZ 123	-	220/65-390	SZ 135	-	225/75-16C	SZ 435	-
215/40-17	SZ 131	-	225-14	SZ 139	-	LT225/75-16	SZ 429	-
215/40-18	SZ 127	-	225-15	SZ 143	-	225/75-17.5	SZ 435	-
215/45-15	SZ 123	-	225/35-17	SZ 123	-	225/75-19.5	SZ 447	-
215/45-16	SZ 123	-	225/35-18	SZ 133	-	225/75-20	SZ 447	-
215/45-17	SZ 133	-	225/35-19	SZ 123	-	LT225/85-16	SZ 435	-
215/45-18	SZ 129	-	225/40-17	SZ 133	-	235-15	SZ 429	-
215/50-14	SZ 123	-	225/40-18	SZ 133	-	235/35-18	SZ 133	-
215/50-15	SZ 123	-	225/40-19	SZ 139	-	235/35-19	SZ 137	-
215/50-16	SZ 123	-	225/45-16	SZ 123	-	235/40-17	SZ 133	-
215/50-17	SZ 133	-	225/45-17	SZ 133	-	235/40-18	SZ 137	-
215/55-14	SZ 123	-	225/45-18	SZ 137	-	235/40-19	SZ 135	-
215/55-15	SZ 133	-	225/45-19	SZ 139	-	235/45-17	SZ 137	-
215/55-16	SZ 131	-	225/50-14	SZ 123	-	235/45-18	SZ 139	-
215/55-17	SZ 135	-	225/50-15	SZ 127	-	235/45-19	SZ 143	-
215/60-13	SZ 123	-	225/50-16	SZ 131	-	235/50-13	SZ 123	-
215/60-14	SZ 123	-	225/50-17	SZ 137	-	235/50-14	SZ 123	-
215/60-15	SZ 133	-	225/50-18	SZ 135	-	235/50-15	SZ 127	-
215/60-16	SZ 135	-	225/55-14	SZ 127	-	235/50-16	SZ 137	-
215/60-17	SZ 139	-	225/55-15	SZ 133	-	235/50-17	SZ 135	-
215/65-14	SZ 131	-	225/55-16	SZ 137	-	235/50-18	SZ 139	-
215/65-15	SZ 135	-	225/55-17	SZ 139	-	235/55-15	SZ 137	-
215/65-15C	SZ 135	-	225/55-18	SZ 139	-	235/55-16	SZ 139	-
215/65-16	SZ 135	-	225/55-20	SZ 435	-	235/55-17	SZ 139	-
215/65-17	SZ 139	-	225/60-13	SZ 123	-	235/55-18	SZ 135	-
215/70-14	SZ 131	-	225/60-14	SZ 127	-	235/55-19	SZ 429	-
215/70-15	SZ 135	-	225/60-15	SZ 133	-	235/60-13	SZ 127	-
215/70-16	SZ 139	-	225/60-16	SZ 139	-	235/60-14	SZ 137	-
215/70-17	SZ 139	-	225/60-17	SZ 139	-	235/60-15	SZ 135	-
215/70-18	SZ 135	-	225/60-18	SZ 135	-	235/60-16	SZ 139	-
215/70-19	SZ 135	-	225/65-15	SZ 139	-	235/60-17	SZ 135	-
215/70-20	SZ 139	-	225/65-16	SZ 139	-	235/60-18	SZ 429	-
215/70-21	SZ 135	-	225/65-17	SZ 135	-	235/65-15	SZ 139	-
215/70-22	SZ 143	-	225/65-18	SZ 435	-	235/65-16	SZ 143	-
215/70-23	SZ 429	-	225/70-14	SZ 135	-	235/65-17	SZ 429	-
215/70-24	SZ 429	-	225/70-15	SZ 139	-	235/65-18	SZ 435	-
215/70-25	SZ 447	-	225/70-15C	SZ 143	-	235/70-14	SZ 139	-
215/70-26	SZ 143	-	225/70-16	SZ 143	-	235/70-15	SZ 143	-
215/70-27	SZ 429	-	225/70-17	SZ 429	-	235/70-16	SZ 429	-
215/70-28	SZ 435	-	225/70-18	SZ 435	-	235/70-17	SZ 435	-
215/70-29	SZ 143	-	225/70-19.5	SZ 447	-	235/70-17.5	SZ 435	-
215/70-30	SZ 429	-	225/70-22.5	-	SZ 497	235/70-18	SZ 441	-







SCC Winter traction product applications by tire size

Note: The "P" prefix has been removed. These product applications show the best choice for most tires. Due to variations between tire manufacturers, the best choice for your tire may be different. To be sure, traction products should be fitted to the tire before actual use is required. Refer to your vehicle owner's manual for any traction product limitations.

 			 			 		
TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck	TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck	TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck
235/70-19.5	SZ 441	-	245/65-16	SZ 143	-	255/60-16	SZ 143	-
235/75-14	SZ 135	-	245/65-17	SZ 435	-	255/60-17	SZ 435	-
235/75-15	SZ 429	-	245/70-14	SZ 139	-	255/60-18	SZ 441	-
LT235/75-15	SZ 429	-	245/70-15	SZ 143	-	255/65-15	SZ 143	-
235/75-16	SZ 435	-	245/70-16	SZ 435	-	255/65-16	SZ 435	-
LT235/75-16	SZ 435	-	245/70-17	SZ 435	-	255/65-17	SZ 435	-
235/75-17	SZ 435	-	245/70-17.5	SZ 441	-	255/65-19	SZ 447	-
235/75-17.5	SZ 441	-	245/70-19.5	SZ451	SZ 462	255/70-14	SZ 429	-
235/80-14	SZ 143	-	245/70-22.5	-	SZ 486	255/70-15	SZ 435	-
235/80-16	SZ 441	-	245/75-15	SZ 429	-	255/70-16	SZ 435	-
235/80-17	SZ 451	-	245/75-16	SZ 441	-	255/70-17	SZ 447	-
LT235/80-17	SZ 451	-	LT245/75-16	SZ 441	-	255/70-18	SZ 447	-
235/80-22.5	-	SZ 492	245/75-17	SZ 435	-	255/70-19.5	-	SZ 462
LT235/85-16	SZ 441	-	LT245/75-17	SZ 441	-	255/70-22.5	-	SZ 497
235/85-17	SZ 441	-	245/75-17.5	SZ 441	-	LT255/75-15	SZ 447	-
240/45-15	SZ 127	-	245/75-22.5	-	SZ 492	LT255/75-16	SZ 447	-
240/45-415	SZ 131	-	245/80-22.5	-	SZ 492	255/75-17	SZ 447	-
245-16	SZ 441	-	LT245/85-15	SZ 435	-	255/75-20	-	SZ 492
245/35-18	SZ 131	-	LT245/85-16	SZ 447	-	LT255/85-16	-	SZ 462
245/35-19	SZ 139	-	250-15	SZ 429	-	265/30-19	SZ 139	-
245/35-20	SZ 139	-	250/60-12	SZ 127	-	265/35-18	SZ 139	-
245/40-16	SZ 127	-	255/35-18	SZ 135	-	265/35-19	SZ 139	-
245/40-17	SZ 131	-	255/35-19	SZ 143	-	265/35-22	SZ 435	-
245/40-18	SZ 139	-	255/35-20	SZ 143	-	265/40-17	SZ 139	-
245/40-19	SZ 139	-	255/40-17	SZ 137	-	265/40-18	SZ 139	-
245/40-20	SZ 143	-	255/40-18	SZ 143	-	265/40-22	SZ 441	-
245/45-16	SZ 131	-	255/40-19	SZ 143	-	265/45-20	SZ 435	-
245/45-17	SZ 137	-	255/45-16	SZ 135	-	265/50-14	SZ 135	-
245/45-19	SZ 143	-	255/45-17	SZ 139	-	265/50-15	SZ 139	-
245/45-20	SZ 429	-	255/45-18	SZ 143	-	265/50-16	SZ 143	-
245/50-13	SZ 123	-	255/45-20	SZ 429	-	265/50-20	SZ 447	-
245/50-14	SZ 127	-	255/50-14	SZ 131	-	265/55-17	SZ 435	-
245/50-15	SZ 131	-	255/50-15	SZ 135	-	265/55-18	SZ 435	-
245/50-16	SZ 139	-	255/50-16	SZ 139	-	265/60-14	SZ 143	-
245/50-17	SZ 139	-	255/50-17	SZ 143	-	265/60-16	SZ 143	-
245/50-18	SZ 143	-	255/50-18	SZ 143	-	265/60-17	SZ 435	-
245/50-19	SZ 429	-	255/50-19	SZ 435	-	265/60-18	SZ 435	-
245/55-17	SZ 139	-	255/50-20	SZ 435	-	265/60-20	SZ 447	-
245/55-18	SZ 429	-	255/50-21	SZ 447	-	265/65-15	SZ 429	-
245/60-14	SZ 135	-	255/55-16	SZ 143	-	265/65-16	SZ 435	-
245/60-15	SZ 139	-	255/55-17	SZ 143	-	265/65-17	SZ 441	-
245/60-16	SZ 143	-	255/55-18	SZ 435	-	265/65-18	SZ 447	-
245/60-17	SZ 429	-	255/55-19	SZ 435	-	265/65-20	-	SZ 462
245/60-18	SZ 429	-	255/60-14	SZ 143	-	265/65-22.5	-	SZ 492
245/65-15	SZ 143	-	255/60-15	SZ 143	-	265/70-15	SZ 435	-

SCC Winter traction product applications by tire size

Note: The "P" prefix has been removed. These product applications show the best choice for most tires. Due to variations between tire manufacturers, the best choice for your tire may be different. To be sure, traction products should be fitted to the tire before actual use is required. Refer to your vehicle owner's manual for any traction product limitations.

 			 			 		
TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck	TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck	TIRE SIZE	Passenger, Pick-up & SUV	Light & Medium truck
265/70-16	SZ 441	-	LT275/75-15	SZ 447	-	295/60-18	SZ 447	SZ 462
LT265/70-16	SZ 441	-	275/75-16	SZ 447	-	295/65-16	SZ 441	-
265/70-17	SZ 447	-	275/75-18	-	SZ 462	295/70-15	SZ 451	-
LT265/70-17	SZ 447	-	275/75-19.5	-	SZ 497	295/70-17	-	SZ 474
265/70-18	SZ 451	-	285/30-18	SZ 135	-	295/70-19.5	-	SZ 497
265/70-19.5	-	SZ 497	285/30-19	SZ 139	-	LT295/75-16	-	SZ 462
265/75-15	SZ 441	-	285/30-20	SZ 139	-	295/75-17.5	-	SZ 492
LT265/75-15	SZ 441	-	285/35-18	SZ 139	-	295/75-18	-	SZ 486
265/75-16	SZ 447	-	285/35-19	SZ 139	-	305/35-24	-	SZ 468
LT265/75-16	SZ 447	-	285/35-20	SZ 435	-	305/40-22	SZ 451	-
265/75-17	SZ 451	-	285/40-17	SZ 139	-	305/45-20	SZ 441	-
265/75-18	-	SZ 468	285/40-18	SZ 139	-	305/45-22	-	SZ 474
265/75-19.5	-	SZ 497	285/40-19	SZ 143	-	305/50-20	-	SZ 468
265/790-540A	SZ 435	-	285/40-20	SZ 435	-	305/50-22	-	SZ 492
265/80-16	SZ 447	-	285/40-22	SZ 441	-	305/55-18	SZ 447	-
LT265/85-16	-	SZ 468	285/40-24	-	SZ 462	305/55-20	-	SZ 486
275/35-17	SZ 135	-	285/45-18	SZ 435	-	305/60-18	-	SZ 474
275/35-18	SZ 143	-	285/45-19	SZ 435	-	305/70-16	-	SZ 468
275/40-17	SZ 143	-	285/45-21	SZ 441	-	305/70-17	-	SZ 486
275/40-18	SZ 143	-	285/45-22	SZ 447	-	305/70-18	-	SZ 492
275/40-20	SZ 435	-	285/50-18	SZ 435	-	LT305/75-16	-	SZ 468
275/45-19	SZ 441	-	285/50-20	SZ 441	-	LT305/85-16	-	SZ 497
275/45-20	SZ 435	-	285/55-18	SZ 441	-	315/35-20	SZ 435	-
275/45-22	SZ 447	-	285/55-20	SZ 451	SZ 468	315/40-19	SZ 435	-
275/50-15	SZ 139	-	285/60-16	SZ 435	-	315/70-16	SZ 451	SZ 474
275/50-19	SZ 435	-	285/60-17	SZ 447	-	315/70-17	-	SZ 486
275/55-17	SZ 441	-	285/60-18	SZ 451	-	315/75-16	-	SZ 486
275/55-18	SZ 441	-	285/60-19	-	SZ 462	315/75-17	-	SZ 486
275/55-20	SZ 451	-	285/60-22.5	-	SZ 492	325/50-20	SZ 451	SZ 474
275/60-14	SZ 139	-	285/65-17	SZ 447	-	LT325/60-15	SZ 447	-
275/60-16	SZ 435	-	285/65-18	-	SZ 468	325/60-18	-	SZ 486
275/60-17	SZ 441	-	285/70-15	SZ 441	-	325/60-20	-	SZ 492
275/60-18	SZ 447	-	LT285/70-15	SZ 441	-	325/65-18	-	SZ 492
275/60-20	SZ 451	-	285/70-16	SZ 441	-	325/75-17	-	SZ 486
275/65-16	SZ 441	-	285/70-17	-	SZ 462	325/80-16	-	SZ 492
275/65-17	SZ 447	-	LT285/70-17	SZ 447	-	335/30-18	SZ 139	-
275/65-18	SZ 447	-	285/70-18	-	SZ 462	335/30-20	SZ 435	-
LT275/65-18	SZ 447	-	285/70-19.5	-	SZ 486	345/35-18	SZ 435	-
LT275/65-20	-	SZ 462	LT285/75-15	SZ 447	-	345/55-17	SZ 451	SZ 468
275/70-16	SZ 447	-	LT285/75-16	SZ 451	SZ 462	355/45-17.5	SZ 441	-
275/70-17	SZ 447	-	295/40-20	SZ 435	-	FR78-15	SZ 135	-
LT275/70-17	SZ 447	-	295/45-18	SZ 435	-	GR78-15	SZ 135	-
275/70-18	-	SZ 462	295/45-20	SZ 447	-	HR78-15	SZ 139	-
LT275/70-18	-	SZ 462	295/50-15	SZ 139	-	LR78-15LT	SZ 429	-
275/70-19.5	-	SZ 497	295/50-20	SZ 451	-	LR78-16LT	SZ 435	-